myPRO
Taking care
of business

myPRO Edge
Heat pump dryer
TD2-9HP



Images shown are a representation of the product only and variations may occur.

Perfect for businesses with steady daily laundry needs, up to 4 cycles per day, such as

- Hotels, bed & breakfasts, and guesthouses
- Restaurants, cafés, and food-service operators
- Kindergartens, nurseries, daycare
- Hairdressing, beauty, and wellness salons
- Sports, fitness, and leisure facilities
- Cleaning and facility-management companies
- Out-of-home resident services, care environments, veterinary clinics and many more

Features and benefits

- Plug-and-play installation with 9 kg capacity and 16 drying programs to meet every need
- Gentle on textiles thanks to low-temperature heat-pump drying, while Residual Moisture Control prevents over-drying and saves energy
- Save up to 60% energy compared to vented and condenser dryers thanks to efficient heat-pump technology
- Environmentally friendly design using R290 refrigerant
- Stainless-steel front and top panels contribute to robust, long-term reliability
- Fully compliant with EU Machinery Directive 2006/42/EC, ensuring safe and appropriate commercial use


Main specifications		TD2-9HP
Drying capacity	kg	9
Drum, volume	l	120
Energy efficiency class		D
Condensation efficiency		C (85%)
Consumption data[1]		
Total time	min./cycle	149
Energy consumption	kWh	2.05

1. Program Normal Dry (initial RM% 50%) 100% cotton, 9 kg

Feature		TD2-9HP
Drying technology		Heat pump
Total power	kW	0.7
Main voltage	V	220-240
Frequency	Hz	50
Declared drying noise	dB(A)	66
Heat emissions (at 20°C ambient)	W	800
Refrigerant gas		R290 (Hydrocarbon, hermetically sealed)
Gas weight	kg	0.149
Global-warming potential (GWP)*		0.02
Drum light		LED
Levelling feet		4 adjustable feet (adjustable by 15 mm)
Number of programs		16
Additional functions		6

*According to IPCC AR6.

Dimensions		TD2-9HP
Weight	kg	50
Weight, with packaging	kg	51.5
Packaging height	mm	890
Packaging width	mm	640
Packaging depth	mm	680
1. Operating panel		
2. Condensed water tank		
3. Door opening		



Accessories

- Pedestal with pull out drawer
- Stacking kit with pull out shelf

We reserve the right to alter specifications without notice