QUICK REFERENCE GUIDE > RS6019BRU1

60cm Series 9 Integrated Refrigerator Freezer, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge




A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker

Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870 mm
Width 592 mm
Depth 576 mm



FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

		In-use energy carbon emissions estimate	148.9kgCO2e/ year	Installation Dimensions	
Accessories (included)			year	Minimum inside width of cabinetry frame	600 mm
Hinge change (from right hinge to left •				Minimum internal depth of cabinetry	600 mm
hinge)		Features		Minimum internal height of cabinetry	1880 mm
		Adjustable door shelves	4		
Accessories (sold separately)		Adjustable glass cantilevered shelves	•	Performance	
Door panel set stainless steel	Right hinge RD6019BR, Left hinge RD6019BL	Covered door shelves	1		
		Door alarm	•	ActiveSmart™ Foodcare	•
Hamella hit Classia	_	Internal water dispenser	•	Adaptive defrost	•
Handle kit Classic	AHCLRDB	LED bin lighting	•	Dual evaporator	•
Handle kit Contemporary round, aluminium	AHSRDB19	LED ceiling lighting	•	Frost free	•
Handle kit Contemporary square fine, aluminium	AHD5RDB19	LED side lighting	•	Humidity control system	•
Handle kit Contemporary square fine, black	AHD5RDB19B	Smart appliance	•	Inverter controlled compressor	•
Handle kit Professional round flush	AHP3RDB19	SmartTouch control panel	•	Sabbath mode	•
Joiner Kit	AJRS19LR	Stackable bottle holders	2		
Toe kick stainless steel 1200mm	AKR\$12010	Water tank capacity	1L	Dower requirements	
Toe kick stainless steel 1800mm	AKRS18010			Power requirements	
Toe kick stainless steel 600mm	AKRS06010			Rated current	10 A
Water filter replacement	847200 - FWC3	Freezer Features		Supply frequency	50 Hz
		Automatic ice maker	•	Supply voltage	230 V
		Bottle chill	•		
Capacity		Door alarm	•	Burghook dinggraphs	
Total gross capacity	328 L	Fast freeze	•	Product dimensions	
Volume	303 L	Freezer bins	3	Depth	576 mm
Volume freezer	123 L	Ice Boost	•	Height	1870 mm
Volume refrigerator	180 L	Ice making rate per day	1 kg	Width	592 mm
		LED bin lighting	•		
		LED ceiling lighting	•	Warmanta	
Consumption		LED side lighting	•	Warranty	
Energy rating	5 star			Parts and labour	2 years
Energy usage	244kWh/year			Sealed system parts only	5 years

Date: 02.04.2025 > 2

QUICK REFERENCE GUIDE > RS6019BRU1 Date: 02.04.2025 > 3

SKU 26200

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Refrigeration K08 Hinge
- ↓ 2D-DWG Refrigerator Freezer
- 2D-DWG Refrigerator Freezer with Custom Panel
- ↓ 2D-DXF Integrated Refrigeration K08 Hinge
- ↓ 2D-DXF Integrated Refrigeration Panel Preparation
- ↓ 2D-DXF Refrigerator Freezer
- ↓ 2D-DXF Refrigerator Freezer with Custom Panel
- ↓ ArchiCAD 23 Refrigerator Freezer
- Energy Label
- J. Service & Warranty
- Installation Guide Assisted Opening Accessory Integrated Refrigeration
- Planning Guide Assisted Opening Accessory
- Planning Guide EN
- Revit 18 Refrigerator Freezer
- Rhino 5 Refrigerator Freezer
- Rhino 5 Refrigerator Freezer with Custom Panel
- Rhino 5 Refrigerator Freezer Door with Classic Round Handle
- Rhino 5 Refrigerator Freezer Door with Contemporary Round Handle
- Rhino 5 Refrigerator Freezer Door with Professional Round Flush Handle
- Rhino 5 Refrigerator Freezer Door with Square Fine Black Handle

- Rhino 5 Refrigerator Freezer Door with Square Fine Handle
- Sketchup 8 Refrigerator Freezer
- Sketchup 8 Refrigerator Freezer with Custom Panel
- Sketchup 8 Refrigerator Freezer Door with Classic Round Handle
- Sketchup 8 Refrigerator Freezer Door with Professional Round Flush Handle
- Sketchup 8 Refrigerator Freezer Door with Square Fine Black Handle
- User Guide Integrated Refrigerator & Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com