**QUICK REFERENCE GUIDE >** RS6019F2L1 Date: 02.04.2025 > 1

# 60cm Series 9 Integrated Dual Zone Freezer

Series 9 | Integrated

Panel Ready | Left hinge




Pair with the Integrated Dual Zone Refrigerator for the ultimate kitchen solution – this model features two independent food zones taking cooling flexibility to a new level.\*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Flush fit design with 4mm gaps and custom height installation
- Two independent food zones with adjustable temperature from -21 to -14°C

Easy-to-use touch-control panel and Wi-Fi capability

# **DIMENSIONS**

Height 1870 mm
Width 592 mm
Depth 576 mm



#### **FEATURES & BENEFITS**

# Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Independent Food Zones

When it comes to optimal food preservation, one temperature does not fit all. With two independent food zones, you can create the perfect climate for storing different foods. Each zone has adjustable temperature from -21°C to -14°C, ideal for items such as meat, seafood, frozen desserts and ice.

#### Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

# Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

#### Flexible Storage

Designed to make it simple for you to store, access and remove food, this freezer includes LED-lit adjustable cantilevered shelving and full extension bins.

### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

#### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

# **SPECIFICATIONS**

**QUICK REFERENCE GUIDE >** RS6019F2L1 Date: 02.04.2025 > 2

		Features		Rated current	10 A	
Accessories (included)		Adjustable glass cantilevered shelves	•	Supply frequency	50 Hz	
Hinge change (from left hinge to right	•	Adjustable glass shelves	2	Supply voltage	230 V	
hinge)		Smart appliance	•			
Joiner kit	AJRS19LR	SmartTouch control panel	•	Product dimensions		
				Depth	576 mm	
Accessories (sold separately)		Freezer Features		Height	1870 mm	
Door panel set stainless steel	Right & Left hinge RD6019	Bottle chill	•	Width	592 mm	
Handle kit Classic	AHCLRDSF	Door alarm	•			
Handle kit Contemporary round, aluminium	AHSRDSF	Fast freeze	•	Warranty		
Handle kit Contemporary square fine,	AHD5RDSF	Freezer bins	2			
aluminium		LED ceiling lighting	•	Parts and labour	2 years	
Handle kit Contemporary square fine, black	AHD5RDSFB			Sealed system parts only	5 years	
Handle kit Professional round flush	AHP3RDSF					
Toe kick stainless steel 1200mm	AKR\$12010	Installation Dimensions				
Toe kick stainless steel 1800mm	AKRS18010	Minimum inside width of cabinetry frame	600 mm	SKU	26198	
Toe kick stainless steel 600mm	AKRS06010	Minimum internal depth of cabinetry	600 mm			
		Minimum internal height of cabinetry	1880 mm			
				The product dimensions and specifications in this		
Capacity				product and model. Under our policy of continuous dimensions and specifications may change at any		
Total gross capacity	329 L	Performance		check with Fisher & Paykel's Customer Care Centre to ensure this page		
Volume	304 L	ActiveSmart™ Foodcare	•	correctly describes the model currently available.  Appliances Ltd 2020	© Fisher & Paykel	
Volume freezer	304 L	Adaptive defrost	•			
		Dual evaporator	•			
		Frost free	•	Other product downloads available at fish	erpaykel.com	
Consumption		Inverter controlled compressor	•			
Energy rating	4 star	Sabbath mode	•		(08 Hinge	
Energy usage	256kWh/year			<u>↓</u> 2D-DWG Freezer		
In-use energy carbon emissions estimate 1	56.2kgCO2e/year	Power requirements		<ul> <li>2D-DWG Freezer with Custom Panel</li> <li>2D-DXF Integrated Refrigeration - K08 Hinge</li> <li>2D-DXF Freezer</li> </ul>		

**QUICK REFERENCE GUIDE >** RS6019F2L1 Date: 02.04.2025 > 3

- ↓ 2D-DXF Freezer with Custom Panel
- ↓ 2D-DXF Integrated Refrigeration Panel Preparation
- J. Archicad 23 Freezer
- ↓ Energy Label
- ↓ Service & Warranty
- Installation Guide Assisted Opening Accessory Integrated Refrigeration
- ↓ Planning Guide Assisted Opening Accessory
- Planning Guide EN
- ↓ Revit 18 Freezer
- Rhino 5 Freezer
- ↓ Rhino 5 Freezer with Custom Panel
- J. Rhino 5 Freezer Door with Classic Round Handle
- Rhino 5 Freezer Door with Contemporary Round Handle
- Rhino 5 Freezer Door with Professional Round Flush Handle
- Rhino 5 Freezer Door with Square Fine Black Handle
- Rhino 5 Freezer Door with Square Fine Handle
- Sketchup 8 Freezer
- Sketchup 8 Freezer with Custom Panel
- Sketchup 8 Freezer Door with Classic Round Handle
- ↓ Sketchup 8 Freezer Door with Contemporary Round Handle
- Sketchup 8 Freezer Door with Professional Round Flush
- ↓ Sketchup 8 Freezer Door with Square Fine Black Handle
- ↓ Sketchup 8 Freezer Door with Square Fine Handle

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com