QUICK REFERENCE GUIDE > RS6009SBLT1

# 60cm Series 9 Integrated Beverage Centre

Series 9 | Integrated

Panel Ready | Left hinge

Elevate your drinks storage with our Integrated Beverage Centre. Ideal for wine, craft beer and more, it's perfect for any space within your home.


- Integrates into any setting within the home, from the bar to the master suite - the choices are endless
- Spacious 129L capacity, with full-depth wine shelf that can accommodate up to seven bottles
- Adjustable temperature control helps to keep drinks at the ideal temperature
- Designed to fit flush, with 4mm gaps and no visible hinges or grilles

#### **DIMENSIONS**

 Height
 864 - 900 mm

 Width
 592 mm

 Depth
 576 mm



### **FEATURES & BENEFITS**

#### Complete Design Freedom

This versatile under-counter beverage centre brings increased cooling capability to any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it carefully stores a selection of beverages, from cans to beer bottles or up to seven bottles of wine in a custom rack. Pair it perfectly with our under-counter wine cabinet to create an entertainer's dream set-up.

#### **Customised Drink Storage**

The beverage centre is designed to store a selection of beverages, from cans to beer bottles, or bottles of wine in a custom rack. Full extension shelving makes it simple to see and select between a pale ale or pilsner, sauvignon blanc or chardonnay.

## Flexible Storage

The beverage rack includes a slideable shelf divider that moves to securely hold bottles and cans to avoid tipping, or can be removed for large items. The custom wine rack carefully cradles and displays up to seven bottles of wine.

#### **Precise Temperature Control**

Set the temperature in each zone to between 2°C and 14°C depending on your needs, or use one of our five preset modes: Fridge, Beverage, Sparkling, White Wine or Pantry to store a range of drinks at the ideal temperature.

#### Seamless Fit

The beverage centre is designed to fit flush, with only 4mm gaps between surrounding cabinetry, and no visible hinges or grilles.

#### Intuitive Control

Temperature control at your fingertips. Adjust the temperature of your beverage centre through intuitive touch controls, or remotely using the SmartHQ™ app through Wi-Fi connectivity.

#### **Custom Door**

A tempered glass door allows you to monitor your drinks selection and restock when necessary. Also available is a panel-ready model, which allows your beverage centre to be hidden seamlessly behind your custom cabinetry.

#### **SPECIFICATIONS**

#### Accessories (included)

Hinge change (from left hinge to right hinge)

#### Accessories (sold separately)

QUICK REFERENCE GUIDE > RS6009SBLT1 Date: 24.03.2025 > 2

Door panel set stainless steel  Handle kit Classic	Left hinge (Framed) RD6009VL, Right hinge (Framed) RD6009VR AHCLRD09	LED lighting Smart appliance SmartTouch control panel Variable temperature control	
Handle kit Contemporary round, aluminium			
Handle kit Contemporary square fine, aluminium	AHD5RD09	Performance	
Handle kit Contemporary square fine, black	AHD5RD09B	ActiveSmart™ technology	•
Joiner Kit	AJRS09LR	Adaptive defrost	•
Toe kick stainless steel 1200mm	AKRS12010	Frost free	•
Toe kick stainless steel 600mm	AKRS06010	Noise emissions	31 dBA
		Refrigerator temperature range	2-14 degrees Celsius
Capacity		Sabbath mode	•
Volume	129 L	Variable temperature zones	1
Consumption		Power requirements	
Energy rating	D	Amperage	10 A
	D	Supply frequency	50 Hz
		Supply voltage	220-240 V
Controls			
Electronic interface	•	Product dimensions	
Interior light	•	Double	576 mm
		Depth	864 - 900 mm
		Height Width	592 mm
Features		widti	392 IUU
Cantilevered glass shelves	1		
Door alarm	•	Warranty	
Full extension beverage shelf	•	Parts and labour	5 years

SKU 26710

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

2D-DWG 2D-DXF 2D-DXF Integrated Refrigeration - Panel Preparation Declaration of Conformity **Energy Rating** 

Service & Warranty

Installation Guide EN

**Product Information Sheet** 

Planning Guide Wine Cabinet & Beverage Centre

Revit 19

Rhino 6

Sketchup 8

User Guide Integrated Beverage Centre

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

QUICK REFERENCE GUIDE > RS6009SBLT1 Date: 24.03.2025 > 3

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com