**QUICK REFERENCE GUIDE >** RS6009V2R1 Date: 24.03.2025 > 1

# 60cm Series 9 Integrated Wine Cabinet

Series 9 | Integrated

Panel Ready | Right Hinge




Designed for wine lovers, this under-counter, panel-ready wine cabinet seamlessly blends into any space of the evolving home. With dual temperature zones and specialised modes, it provides optimal conditions for all wine types.

- With two independent temperature zones to cater for different wine varieties
- Four specialised wine modes for Red, White, Sparkling, and Cellar wines

- Accommodates up to 35 bottles, providing ample space for a diverse collection
- Panel ready and flush fit, with 4mm gaps and no visible hinges or grilles

# **DIMENSIONS**

Height 864 mm
Width 592 mm
Depth 576 mm



## **FEATURES & BENEFITS**

**Complete Design Freedom** 

This sleek under-counter wine cabinet enhances any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it is a sophisticated, space-efficient solution for wine enthusiasts looking to add elegance and accessibility to their home. Pairs perfectly with our Beverage Centre to create an entertainer's dream set-up.

## **Optimal Wine Care**

To provide the perfect storage environment for your wine collection, this cabinet has been engineered to maintain a consistent temperature across two independently-controlled zones. An activated carbon filter in each compartment clears the air of pollutants, ensuring your wine is perfectly preserved.

# **Precise Temperature Control**

Four tailored wine modes offer optimal temperatures for serving and cellaring different types of wine: Red, White, Sparkling, and Cellar. These modes ensure each variety can receive the care it needs to be enjoyed at its best. Manual temperature adjustments are possible in 0.5°C increments between 6-18°C.

#### Reduced Vibration

Vibration can dull flavour and cause other unwanted issues in wine. This cabinet features a quiet, low-vibration compressor, full-extension slides with white oak shelving, and other strategically chosen absorptive materials to help carefully maintain the flavour profile of every drop.

#### Seamless Fit

These panel-ready models are designed to fit flush, with only 4mm gaps between the wine cabinet and surrounding cabinetry, and no visible hinges or grilles. They can be seamlessly hidden behind cabinetry, or choose our tinted glass model instead to put your collection proudly on display.

#### Simple Installation

**QUICK REFERENCE GUIDE >** RS6009V2R1 Date: 24.03.2025 > 2

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place under your counter – a perfect fit for European-design kitchens.

# **SPECIFICATIONS**

## Accessories (included)

Hinge change (from right hinge to left hinge)

### Accessories (sold separately)

Door panel stainless steel Left (Solid) RD6009L, Right (Solid) RD6009R Handle kit Classic AHCLRD09 Handle kit Contemporary round AHSRD09 Handle kit Contemporary square fine, AHD5RD09 aluminium Handle kit Contemporary square fine, black AHD5RD09B Joiner kit AJRS09LR Toe kick stainless steel 1200mm AKRS12010 Toe kick stainless steel 600mm AKRS06010 Wine display label Kit (14 labels with white ALV14 pencil) Wine filter odour kit 863974

### Capacity

Number of bottles 35

#### Consumption

Energy consumption 71kWh/year

Energy rating D

In-use energy carbon emissions estimate 13.8kgCO2e/year

### Features

Air filter lower compartment
Air filter upper compartment
Door alarm
Full extension storage racks
LED lighting
Low vibration compressor
Removable solid oak shelves
Smart appliance
Soft-mounted wine racks
Telescopic slide out oak shelves

## Performance

•	ActiveSmart™ wine care
•	Air circulating fans
right hand hinge	Door opening
•	Dual evaporator
•	Dual Zone
34 dBA	Noise emissions
•	Sabbath mode
6-18 degrees Celcius	Temperature range
ones 2	Variable temperature zones
Red, White, Sparkling, Cellar	Variable wine modes

### Power requirements

Rated current	10 A
Supply frequency	50 Hz
Supply voltage	220-240 V

### **Product dimensions**

Depth	576 mm
Height	864 mm
Width	592 mm

## Warranty

Parts and labour	5 year
Parts and labour	5 yea

SKU	26709
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com



2D-DWG Integrated Refrigeration - K08 Hinge



2D-DXF Integrated Refrigeration - K08 Hinge



2D-DXF Integrated Refrigeration - Panel Preparation



2D-DXF

2D-DWG

**QUICK REFERENCE GUIDE >** RS6009V2R1 Date: 24.03.2025 > 3

- $\overline{\mathbf{4}}$
- Declaration of Conformity
- ↓ Energy Label
- Service & Warranty
   ■
- L Installation Guide EN
- Tristaliation Galac Elv
- ↓ Planning Guide Wine Cabinet & Beverage Centre
- ↓ Revit 19
- ↓ Rhino 6 Integrated Wine Cabinet
- ↓ Sketchup 8
- User Guide Integrated Wine Cabinet

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com