


RS5P528STFE

Hisense

Hi5 Freestanding Side by Side refrigerator, Inox, 528 L



Water & Ice Dispenser



Flat Duct



Durable Inverter



Total No Frost




Door Alarm



Super Cool



Digital Temperature Sensors



XXL Door Balcony



Big Box

General information

Construction type:	Freestanding	Energy efficiency class:	E
Noise class:	C	Colour of appliance:	Black
Door colour:	Black	Star rating:	4-star, Fresh food
Climate classes:	Subnormal, Normal, Subtropic, Tropic		

Efficiency

Total volume:	528 L	Capacity of cooling compartment:	347 L
Capacity of freezer compartment:	181 L	Freezing capacity in 24 hours:	10 kg
Power cut safe time:	10 h	Annual energy consumption (Aec):	312 kWh

Control

Possible to control via Wi-Fi:	No	Type of display:	LED display
Control type:	Electronic on door	Touch Electronic Control:	Yes
Temperature indicator:	Digital temperature indicator for freezer and refrigerator	Opened door indicator:	Door Alarm
Cooling compartment defrost mode:	Automatic	Freezing compartment defrost mode:	Automatic

Features

No Frost:	Total No frost	Air movement:	Multi Air Flow
Eco Mode:	Yes		

Equipment of refrigerator

Water dispenser:	Yes	Bottle holder:	No
Door bottle container:	1 single container with fixed stopper	Home Bar:	No
Trays in refrigerator door:	3 door trays	Fridge compartment illumination:	LED strip on ceiling
Ice maker:	Ice and Water Dispenser	Number of glass shelves in fridge compartment:	4 pcs
Egg bin:	2/12		

Equipment of freezer

Door shelves in freezer compartment:	3 pcs	Freezing compartment:	2 drawers
Freezer compartment illumination:	LED on top	Number of glass shelves in freezer compartment:	4 pcs

Technical data

Noise level (max):	40 dB(A)	Number of compressors:	1 inverter compressor
Water supply:	Non-Plumbed Water Tank	Type of refrigerant:	R600A
Number of independent cooling systems:	1	Width of the product:	911 mm
Height of the product:	1786 mm	Depth of the product:	615 mm
Gross weight:	92 kg	Net weight:	82 kg
Width of the packed product:	975 mm	Height of the packed product:	1910 mm
Depth of the packed product:	679 mm	Voltage:	220-240 V
Frequency:	50 Hz	Connected load:	300 W
Product code:	20016944	EAN code:	6921727095077